



SPECIFICATIONS

- > LOA: 26' (7.92m)
- > Beam: 9.25' (2.82m)
- > Dead rise at Transom: 21°
- > Dead rise at Bow: 54°
- > Draft: 22" (0.58m)
- > Maximum Weight (Dry, no engine): 2,975 lbs. (1,350 kg)
- > Minimum Horsepower (Outboard) : 150Hp
- > Maximum Horsepower (Outboard) : 400Hp
- > Fuel Capacity: 84.53 gallons (320 L)
- > Water Capacity: 15.85 gallons (60 L)
- > Holding Tank Capacity: 7.5 gallons (28 L – Optional)
- > Persons Capacity: 12 (Brazilian Coast Guard Certified)
- > Console Headroom: 5.74' (1.75m)
- > Transom Height: 25" (.64m)
- > Bridge Clearance: 6.10 (1.86m)
- > Bridge Clearance with Hard Top: 7.48'(2.28m)



STANDARD FEATURES

MANUFACTURING PROCESS & PROJECT

- Vacuum infusion manufacturing process.
- Cutting edge technology and materials.
- Unsinkable boats.
- Environmentally friendly, wood free, minimum emission of styrene monomer.
- 5 year of structural warranty.
- Excellence in navigation.
- Structure; 3 times lighter and up to 5 times more resistant.
- Less engine investment is needed, fuel consumptions is also reduced.
- Developed using top edge software.
- All prototypes are developed and built by incisions CNC technology.
- Prototypes are exhaustively tested at open sea before they enter in the production line.
- Internal compartments are sealed with polyurethane, preventing water absorption.
- Tinned Copper Wiring w/ Waterproof connectors.

CONSOLE

- 12 volt dc socket.
- Access panels to electronics.
- Entry door with lock.
- Console footrests.
- Compass.
- Acrylic windshield.
- Cup holders (2).
- Cargo net storage box.
- Electronics surface mount.
- Interior courtesy light.
- Port light with screen.
- Hand rail grab (2) – (Only Without Hard Top)

STORAGE

- Anchor locker with drain and door button.
- Life ring buoy storage.
- (2) 37G Bow fish and ice storage compartments, with 37G, 13" x 30" access hatch and drain plug.
- (2) 26G Life Jacket and rods dry storage compartments on gunnel (P/S), with drain, drain plug, gas spring, ss hinges.
- (2) Cargo net storage box.
- (1) 53 gallon fiberglass insulated fish box with pump-out and drain, drain plug, fiberglass access hatch, hatch cover pull, gas spring and ss hinges.

- (2) 32 gallon fiberglass insulated fish box with pump-out and drain, drain plug, fiberglass access hatch, hatch cover pull, gas spring and ss hinges.
- Under gunnel rods rack – (4) rods (port).
- Under gunnel rope and objects storage (starboard).
- (2) Storage boxes on stern seat with 13" x 17" access hatch.
- Stern anchor storage compartment with 13" x 17" access hatch.

SEATS

- Bow U-seats. (4) people .
- Forward console cooler, 54 Qt. seat with cushion and console backrest. (1) person.
- Upholstered leaning post with flip-up bolster and backrest, (2) people.
- Trolling seat, with backrest cushion on leaning post, (2) people, (Option III).
- Aft seat with backrest and rod holders (6), (3) people.
- Forward coaming bolsters.
- Aft coaming bolsters.

DECK / COCKPIT

- 8" stainless steel retractable cleats; bow (2), stern (2).
- 6" stainless steel retractable cleats; amidships (2).
- Cockpit courtesy lights (1).
- Cup holders; (4) in bow, (2) stern.
- Rod holders – gunnel mounted stainless steel (4).
- Rod holders; (6) on stern seat backrest.
- Rod racks – (4) rods, under gunnel.
- Heavy rub rail.
- Stainless steel drain plug.
- Wire steering boot.
- Swim platform w/ 3 steps telescoping ladder and grab rail – stainless steel.
- Starboard transom door.
- Bow eye – Stainless steel.
- Surrounding hand grab rail bow.
- (3) 5" Deck plate.
- Self-drained cockpit with (2) 1 ½ thru hull outlets with one way valves.

LEANING POST (OPTION I)

- Premium bench seat with backrest and flip-up bolster, (2) people.
- Cup holders (2).

- Cockpit courtesy lights (2).
- Hand grab rail – stainless steel.
- Fire extinguish box.
- Fish tackle storage with (3) Drawer.
- Live well lights.
- Sink with fresh water and pullout sprayer, 8 gallons live well / insulated drink and ice storage.

LEANING POST (OPTION II)

- Premium bench seat with backrest and flip-up bolster, (2) people.
- Cup holders (2).
- Cockpit courtesy lights (2).
- Hand grab rail – stainless steel.
- Fire extinguish box.
- Fish tackle storage with (3) Drawer.
- Live well lights.
- 11 gallons live well / insulated drink and ice storage.

LEANING POST (OPTION III)

- Premium bench seat with backrest and flip-up bolster, (2) people.
- Cockpit courtesy lights (2).
- (2) Hand grab rail – stainless steel.
- Fire extinguish box.
- Fish tackle storage with (3) Drawer.
- Live well lights.
- Trolling seats, with backrest cushion, (2) people.
- 11 gallons live well / insulated drink and ice storage.

HIDRAULIC

- 1500 GPH bilge pump w/ float switch, hose, ss clamps, thru hull outlets.
- Freshwater system with 16 gallons tank, transom shower at leaning post, 2.9GPM diaphragm pump, hose, ss clamps.
- Raw water wash-down system with coiled hose shower at leaning post, 3.5GPM diaphragm pump, seacock valve, ¾" stainless steel thru hull outlet with intake strainer, hose, ss clamps, raw water strainer.
- 800 Gph bait pump, aerator, hose, ss clamps, seacock valve, ¾" stainless steel thru hull outlet.
- Shower pump sump system for fish box storage, hose, ss clamps, thru hull outlets.

FUEL

- 85 gallons fuel tank, with vent and internal and external supply system,

- 1 ½ and ½ hoses, ss clamps and gas deck fill.
- Engine fuel / water separators.

ELECTRICAL

- Weather deck waterproof switch panels (2), with fuse protection and illuminated text (Console).
- Electrical distribution / Fuse block panel box (Console).
- Dual Battery Switch and Compartment.
- Battery tray for (2) batteries.
- Tinned Copper Wiring w/ Waterproof connectors.
- Navigation Lights.
- Electric Horn.

MECHANICAL

- Hydraulic steering system, with helm, hydraulic hose and front mount hydraulic cylinder.
- Stainless steel steering wheel w/ knob.
- Electrics trim tabs with stainless steel blades, with led indicator switch.

OPTIONAL FEATURES

HARD TOP

- VHF/Stereo surface.
- Glove box with lock.
- Stainless steel hardware 316.
- Bow and stern area Spotlight.
- Cockpit lights (3)
- Rod Holders (6).

BOW TABLE

- Premium fiberglass gel coated table, with stainless steel removable pedestal, (2) cup holders.

BOW SOLARIUM

- Premium fiberglass gel coated solarium, with stainless steel removable pedestal, cushion.

ELECTRIC TOILET PACKAGED

- Electric marine toilet with large & deluxe seat and cover, holding tank system with 7.5 gallons, seacock valve, stainless steel thru hull outlets, hose and ss clamps.

ANCHOR WINDLASS PACKAGED

- Anchor windlass, foot switch, panel switch, solenoid, magnet circuit breaker, stainless steel split bow roller.

COLORED HULL

BOW SUNSHADE COVER

COCKPIT SUNSHADE COVER

STERN SUNSHADE COVER